

L Number	Hits	Search Text	DB	Time stamp
_	2	(OID with tree\$3 same repositor\$3).ab.	USPAT;	2003/09/30 13:00
		• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(OID with tree\$3 & repositor\$3).ab.	USPĀT;	2003/09/30 12:53
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	·
	_		IBM_TDB	
-	5	(OID with tree\$3).ab.	USPAT;	2003/09/30 13:04
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	3	(OID with tree\$3 same repositor\$3)	USPAT;	2003/09/30 12:58
		(Old with Cleets same repositorys)	US-PGPUB;	2003/09/30 12:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(OID with layer same repositor\$3).ab.	USPĀT;	2003/09/30 12:59
		-	US-PGPUB;	
			EPO; JPO;	
] !			DERWENT;	
	_		IBM_TDB	
-	0	(OID with director\$3 same	USPAT;	2003/09/30 12:59
		repositor\$3).ab.	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
_	0	(OID with (system near2 file\$1) same	IBM_TDB USPAT;	2002/00/20 12:00
	ĺ	repositor\$3).ab.	US-PGPUB;	2003/09/30 13:00
		repositoras/.ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(OID same repositor\$3).ab.	USPAT;	2003/09/30 13:00
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((object near2 identif\$3) with tree\$3	USPĀT;	2003/09/30 13:00
		same repositor\$3).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
_	2	((object near2 identif\$3) with tree\$3	IBM_TDB USPAT;	2003/09/30 13:03
		same repositor\$3)	US-PGPUB;	2003/03/30 13:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
 -	159	(tree\$3 with repositor\$3)	USPAT;	2003/09/30 13:04
j			US-PGPUB;	
[EPO; JPO;	
			DERWENT;	
_	1.5	/ tmon63 with	IBM_TDB	0000/00/00
-	15	(tree\$3 with repositor\$3).ab.	USPAT;	2003/09/30 13:04
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	(tree\$3 with repositor\$3).ab.	USPAT;	2003/09/30 13:24
	, i		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	3	(tree\$3 with repositor\$3 same	USPĀT;	2003/09/30 13:10
		protocol\$1).ab.	US-PGPUB;	
			EPO; JPO;	
	,		DERWENT;	
			IBM TDB	



•		
	<pre>4 (tree\$3 with repositor\$3 & protocol\$1).ab.</pre>	USPAT; 2003/09/30 13:11 US-PGPUB;
	proceedity; ab.	EPO; JPO;
		DERWENT;
_	4 (tree\$3 with repositor\$3 with	IBM_TDB
	protocol\$1)	US-PGPUB;
		EPO; JPO;
		DERWENT; IBM TDB
- 1	.9 (tree\$3 with repositor\$3 same	USPAT; 2003/09/30 14:19
	protocol\$1)	US-PGPUB; EPO; JPO;
		DERWENT;
		IBM_TDB
-	2 (tree\$3 with repositor\$3 same protocol\$1 same API)	USPĀT; 2003/09/30 13:28 US-PGPUB;
	proceeding same Arry	EPO; JPO;
		DERWENT;
_	2 (tree\$3 with repositor\$3 same	IBM_TDB
	protocol\$1 same API)	US-PGPUB;
		EPO; JPO;
		DERWENT; IBM TDB
1-	4 (tree\$3 with repositor\$3 same	USPAT; 2003/09/30 13:36
	protocol\$1 & API)	US-PGPUB; EPO; JPO;
	,	DERWENT;
		IBM_TDB
-	4 (tree\$3 with repositor\$3 with API)	USPĀT; 2003/09/30 13:37 US-PGPUB;
		EPO; JPO;
		DERWENT;
_	5 (tree\$3 with repositor\$3 same	IBM_TDB USPAT; 2003/09/30 13:36
	API)	US-PGPUB;
		EPO; JPO; DERWENT;
		IBM TDB
-	0 (hierarch\$3 with repositor\$3	USPAT; 2003/09/30 13:37
	with API)	US-PGPUB; EPO; JPO;
		DERWENT;
	A / dimensione? with managinare?	IBM_TDB
-	4 (director\$3 with repositor\$3 with API)	USPĀT; 2003/09/30 13:37 US-PGPUB;
		EPO; JPO;
		DERWENT; IBM TDB
-	5 (tree\$3 with repositor\$3 with	USPAT; 2003/09/30 14:19
	registr\$3)	US-PGPUB;
		EPO; JPO; DERWENT;
		IBM_TDB
-	1 (tree\$3 with repositor\$3 with registr\$3).ab.	USPĀT; 2003/09/30 14:19 US-PGPUB;
	registivs/.ab.	EPO; JPO;
		DERWENT;
_	2 (tree\$3 with repositor\$3 same	IBM_TDB USPAT; 2003/09/30 14:20
	registr\$3).ab.	US-PGPUB;
		EPO; JPO; DERWENT;
		IBM TDB
-	8 (tree\$3 with repositor\$3 same	USPAT; 2003/09/30 15:01
	registr\$3)	US-PGPUB; EPO; JPO;
		DERWENT;
		IBM TDB



e ^c				
-	2	" 6,507,849 B1"	USPAT;	2003/09/30 15:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	" 6,085,030 "	USPAT;	2003/10/02 15:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	48	" 5,913,037"	USPAT;	2003/10/02 17:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	48	" 5,913,037"	USPAT;	2003/10/02 11:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	24	" 6,016,499"	USPAT;	2003/10/02 12:53
		· ·	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
-			IBM TDB	
_	0	(OID same anchor with point\$3).ab.	USPAT;	2003/10/02 13:14
		, came and a new pointers, table	US-PGPUB;	
ĺ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(repository same anchor with	USPAT;	2003/10/02 13:14
	ľ	point\$3).ab.	US-PGPUB;	2003/10/02 13.14
		pointes, ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	0	(repository & (anchor with	USPAT;	2003/10/02 13:06
	1	point\$3)).ab.	US-PGPUB;	2003/10/02 13.00
1		pointeys//.ab.	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	0	(repository with (anchor with	USPAT;	2003/10/02 13:06
	"	point\$3))		2003/10/02 13:06
			US-PGPUB; EPO; JPO;	
			DERWENT;	
1_		(repositor\$3 with (anchor with	IBM_TDB	2002/10/02 12:14
_	0		USPAT;	2003/10/02 13:14
		point\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	(OID same anchor).ab.	IBM_TDB	2003/10/02 13:14
		(OID Same andioid).ab.	USPAT;	2003/10/02 13:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	-	/ wongoitowy come or there \ - h	IBM_TDB	2002/10/22 12 11
-	1	(repository same anchor).ab.	USPAT;	2003/10/02 13:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.0	/ managhau02	IBM_TDB	0000/10/00 15 1
-	10	(repositor\$3 with (anchor))	USPAT;	2003/10/02 13:14
	1		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
		(, , , , , , , , , , , , , , , , , , ,	IBM_TDB	0000 400 455 55
-	0	(repositor\$3 with (anchor) same	USPAT;	2003/10/02 13:14
		OID)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L			IBM TDB	

4	
	•
100	

_	9	((anchor) with OID)	USPAT;	2003/10/02 13:15
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
j -	0	(OID with seperat\$3 with protocol\$1).ab.	USPAT;	2003/10/02 17:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	(OID with protocol\$1).ab.	USPAT;	2003/10/02 17:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(OID same protocol\$1).ab.	USPAT;	2003/10/02 17:06
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM TDB	